## **RAW SEQUENCE LISTING**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	10/542,708
Source:	TFWO.
Date Processed by STIC:	05/19/2006

# ENTERED



**IFWO** 

RAW SEQUENCE LISTING DATE: 05/19/2006
PATENT APPLICATION: US/10/542,708 TIME: 12:01:52

Input Set : A:\seq list.txt

Output Set: N:\CRF4\05192006\J542708.raw

```
5 <110> APPLICANT: THERAPTOSIS SA
      9 <120> TITLE OF INVENTION: MEANS FOR REGULATING THE EXPRESSION OF HUMAN ISOFORMS OF ANT
     13 <130> FILE REFERENCE: 1721-96
     15 <140> CURRENT APPLICATION NUMBER: 10/542,708
     17 <141> CURRENT FILING DATE: 2005-07-20
     20 <150> PRIOR APPLICATION NUMBER: PCT/FR04/000127
     22 <151> PRIOR FILING DATE: 2004-01-21
     25 <150> PRIOR APPLICATION NUMBER: FR 03 00 622
     27 <151> PRIOR FILING DATE: 2003-01-21
    31 <160> NUMBER OF SEQ ID NOS: 33
     35 <170> SOFTWARE: PatentIn version 3.1
     39 <210> SEQ ID NO: 1
     41 <211> LENGTH: 21
     43 <212> TYPE: RNA
     45 <213 > ORGANISM: Artificial sequence
     49 <220> FEATURE:
     51 <223> OTHER INFORMATION: Human
     53 <220> FEATURE:
     55 <221> NAME/KEY: misc_feature
     57 <222> LOCATION: (20)..(20)
     59 <223> OTHER INFORMATION: deoxythymidine
     63 <220> FEATURE:
     65 <221> NAME/KEY: misc feature
     67 <222> LOCATION: (21)..(21)
     69 <223> OTHER INFORMATION: deoxythymidine
     73 <400> SEQUENCE: 1
                                                                               21
W--> 74 acagaucagu gcugagaagn n
     77 <210> SEQ ID NO: 2
     79 <211> LENGTH: 21
     81 <212> TYPE: RNA
     83 <213> ORGANISM: Artificial sequence
     87 <220> FEATURE:
     89 <223> OTHER INFORMATION: Human
     91 <220> FEATURE:
     93 <221> NAME/KEY: misc feature
     95 <222> LOCATION: (20)..(20)
     97 <223> OTHER INFORMATION: deoxythimidine
     101 <220> FEATURE:
     103 <221> NAME/KEY: misc feature
     105 <222> LOCATION: (21)..(21)
     107 <223> OTHER INFORMATION: deoxythimidine
     111 <400> SEQUENCE: 2
```

21

W--> 112 cuucucagca cugaucugun n

DATE: 05/19/2006

TIME: 12:01:52

#### Input Set : A:\seq list.txt Output Set: N:\CRF4\05192006\J542708.raw 115 <210> SEQ ID NO: 3 117 <211> LENGTH: 21 119 <212> TYPE: RNA 121 <213> ORGANISM: Artificial sequence 125 <220> FEATURE: 127 <223> OTHER INFORMATION: Human 129 <220> FEATURE: 131 <221> NAME/KEY: misc\_feature 133 <222> LOCATION: (20)..(20) 135 <223> OTHER INFORMATION: deoxythimidine 139 <220> FEATURE: 141 <221> NAME/KEY: misc feature 143 <222> LOCATION: (21)..(21) 145 <223> OTHER INFORMATION: deoxythimidine 149 <400> SEQUENCE: 3 W--> 150 gcagaucacu gcagauaagn n 21 153 <210> SEQ ID NO: 4 155 <211> LENGTH: 21 157 <212> TYPE: RNA 159 <213> ORGANISM: Artificial sequence 163 <220> FEATURE: 165 <223> OTHER INFORMATION: Human 167 <220> FEATURE: 169 <221> NAME/KEY: misc\_feature 171 <222> LOCATION: (20)..(20) 173 <223> OTHER INFORMATION: deoxythimidine 177 <220> FEATURE: 179 <221> NAME/KEY: misc feature 181 <222> LOCATION: (21)..(21) 183 <223> OTHER INFORMATION: deoxythimidine 187 <400> SEQUENCE: 4 21 W--> 188 cuuaucugca gugaucugcn n 191 <210> SEQ ID NO: 5 193 <211> LENGTH: 21 195 <212> TYPE: RNA 197 <213> ORGANISM: Artificial sequence 201 <220> FEATURE: 203 <223> OTHER INFORMATION: Human 205 <220> FEATURE: 207 <221> NAME/KEY: misc feature 209 <222> LOCATION: (20)..(20) 211 <223> OTHER INFORMATION: deoxythimidine 215 <220> FEATURE: 217 <221> NAME/KEY: misc\_feature 219 <222> LOCATION: (21)..(21) 221 <223> OTHER INFORMATION: deoxythimidine 225 <400> SEQUENCE: 5 W--> 226 gggcaucgug gacugcauun n 21 229 <210> SEQ ID NO: 6

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/542,708

### RAW SEQUENCE LISTING DATE: 05/19/2006 PATENT APPLICATION: US/10/542,708 TIME: 12:01:52

Input Set : A:\seq list.txt

Output Set: N:\CRF4\05192006\J542708.raw

```
231 <211> LENGTH: 21
     233 <212> TYPE: RNA
     235 <213> ORGANISM: Artificial sequence
     239 <220> FEATURE:
     241 <223> OTHER INFORMATION: Human
     243 <220> FEATURE:
 ... 245 <221> NAME/KEY: misc_feature
     247 <222> LOCATION: (20)..(20)
     249 <223> OTHER INFORMATION: deoxythimidine
     253 <220> FEATURE:
     255 <221> NAME/KEY: misc feature
     257 <222> LOCATION: (21)..(21)
     259 <223> OTHER INFORMATION: deoxythimidine
     263 <400> SEQUENCE: 6
W--> 264 aaugcagucc acgaugcccn n
                                                                                 21
     267 <210> SEQ ID NO: 7
     269 <211> LENGTH: 21
     271 <212> TYPE: DNA
    273 <213> ORGANISM: Artificial sequence
                                                                                  - IT AREA 'I
     277 <220> FEATURE:
     279 <223> OTHER INFORMATION: Human
     281 <400> SEQUENCE: 7
     282 aaacagatca gtgctgagaa g
                                                                                 21
     285 <210> SEQ ID NO: 8
     287 <211> LENGTH: 21
     289 <212> TYPE: DNA
     291 <213> ORGANISM: Artificial sequence
     295 <220> FEATURE:
     297 <223> OTHER INFORMATION: Human
     299 <400> SEQUENCE: 8
     300 aagcagatca ctgcagataa g
                                                                                 21
     303 <210> SEQ ID NO: 9
     305 <211> LENGTH: 21
     307 <212> TYPE: DNA
     309 <213> ORGANISM: Artificial sequence
     313 <220> FEATURE:
     315 <223> OTHER INFORMATION: Human
     317 <400> SEQUENCE: 9
     318 aagcggatcg ctacaaataa g
                                                                                 21
     321 <210> SEQ ID NO: 10
     323 <211> LENGTH: 21
     325 <212> TYPE: DNA
     327 <213> ORGANISM: Artificial sequence
     331 <220> FEATURE:
     333 <223 > OTHER INFORMATION: Human
     335 <400> SEQUENCE: 10
                                                                                 21
     336 aagggcatcg tggactgcat t
     339 <210> SEQ ID NO: 11
     341 <211> LENGTH: 21
```

DATE: 05/19/2006

TIME: 12:01:52

Input Set : A:\seq list.txt Output Set: N:\CRF4\05192006\J542708.raw 343 <212> TYPE: RNA 345 <213> ORGANISM: Artificial sequence 349 <220> FEATURE: 351 <223> OTHER INFORMATION: Human 353 <220> FEATURE: 355 <221> NAME/KEY: misc feature 357 <222> LOCATION: (20) . (20) 359 <223> OTHER INFORMATION: deoxythimidine 363 <220> FEATURE: 365 <221> NAME/KEY: misc feature 367 <222> LOCATION: (21)..(21) 369 <223> OTHER INFORMATION: deoxythimidine 373 <400> SEQUENCE: 11 W--> 374 acagaucagu gcugagaagn n 21 377 <210> SEQ ID NO: 12 379 <211> LENGTH: 21 381 <212> TYPE: RNA 383 <213> ORGANISM: Artificial sequence 387 <220> FEATURE: 389 <223> OTHER INFORMATION: Human 391 <220> FEATURE: 393 <221> NAME/KEY: misc feature 395 <222> LOCATION: (20)..(20) 397 <223> OTHER INFORMATION: deoxythimidine 401 <220> FEATURE: 403 <221> NAME/KEY: misc feature 405 <222> LOCATION: (21)..(21) 407 <223> OTHER INFORMATION: deoxythimidine 411 <400> SEQUENCE: 12 W--> 412 cuucucagca cugaucugun n 21 415 <210> SEQ ID NO: 13 417 <211> LENGTH: 21 419 <212> TYPE: RNA 421 <213> ORGANISM: Artificial sequence 425 <220> FEATURE: 427 <223> OTHER INFORMATION: Human 429 <220> FEATURE: 431 <221> NAME/KEY: misc\_feature 433 <222> LOCATION: (20)..(20) 435 <223> OTHER INFORMATION: deoxythimidine 439 <220> FEATURE: 441 <221> NAME/KEY: misc\_feature 443 <222> LOCATION: (21)..(21) 445 <223> OTHER INFORMATION: deoxythimidine 449 <400> SEQUENCE: 13 W--> 450 gcagaucacu gcagauaagn n 21 453 <210> SEQ ID NO: 14

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/542,708

455 <211> LENGTH: 21 457 <212> TYPE: RNA

DATE: 05/19/2006

TIME: 12:01:52

Input Set : A:\seq list.txt Output Set: N:\CRF4\05192006\J542708.raw 459 <213> ORGANISM: Artificial sequence 463 <220> FEATURE: 465 <223> OTHER INFORMATION: Human 467 <220> FEATURE: 469 <221> NAME/KEY: misc feature 471 <222> LOCATION: (20)..(20) 473 <223> OTHER INFORMATION: deoxythimidine '477 <220> FEATURE: 479 <221> NAME/KEY: misc\_feature 481 <222> LOCATION: (21)..(21) 483 <223> OTHER INFORMATION: deoxythimidine 487 <400> SEQUENCE: 14 21 W--> 488 cuuaucugca gugaucugcn n 491 <210> SEQ ID NO: 15 493 <211> LENGTH: 21 495 <212> TYPE: RNA 497 <213> ORGANISM: Artificial sequence 501 <220> FEATURE: 503 <223> OTHER INFORMATION: Human 505 <220> FEATURE: 507 <221> NAME/KEY: misc feature 509 <222> LOCATION: (20)..(20) 511 <223> OTHER INFORMATION: deoxythimidine 515 <220> FEATURE: 517 <221> NAME/KEY: misc feature 519 <222> LOCATION: (21) .. (21) 521 <223> OTHER INFORMATION: deoxythimidine 525 <400> SEQUENCE: 15 21 W--> 526 gcggaucgcu acaaauaagn n 529 <210> SEQ ID NO: 16 531 <211> LENGTH: 21 533 <212> TYPE: RNA 535 <213> ORGANISM: Artificial sequence 539 <220> FEATURE: 541 <223> OTHER INFORMATION: Human 543 <220> FEATURE: 545 <221> NAME/KEY: misc\_feature 547 <222> LOCATION: (20)..(20) 549 <223> OTHER INFORMATION: deoxythimidine 553 <220> FEATURE: 555 <221> NAME/KEY: misc\_feature 557 <222> LOCATION: (21)..(21) 559 <223> OTHER INFORMATION: deoxythimidine 563 <400> SEQUENCE: 16 W--> 564 cuuauuugua gcgauccgcn n 21 567 <210> SEQ ID NO: 17 569 <211> LENGTH: 21 571 <212> TYPE: RNA 573 <213> ORGANISM: Artificial sequence

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/542,708

- 14 -

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 05/19/2006 PATENT APPLICATION: US/10/542,708 TIME: 12:01:53

Input Set : A:\seq list.txt

Output Set: N:\CRF4\05192006\J542708.raw

#### Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; N Pos. 20/21/ Seq#:2; N Pos. 20/21/ Seq#:3; N Pos. 20/21/ Seq#:4; N Pos. 20/21/ Seq#:5; N Pos. 20/21/ Seq#:6; N Pos. 20/21/ Seq#:11; N Pos. 20/21/ Seq#:12; N Pos. 20/21/ Seq#:13; N Pos. 20/21/ Seq#:14; N Pos. 20/21/ Seq#:15; N Pos. 20/21/ Seq#:16; N Pos. 20/21/ Seq#:16; N Pos. 20/21/ Seq#:17; N Pos. 20/21/ Seq#:18; N Pos. 20/21 **VERIFICATION SUMMARY**PATENT APPLICATION: **US/10/542,708**DATE: 05/19/2006

TIME: 12:01:53

Input Set : A:\seq list.txt

Output Set: N:\CRF4\05192006\J542708.raw

L:74 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:112 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:150 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:188 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:226 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:264 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:374 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:412 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:450 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
L:488 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:526 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:564 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:602 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:640 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0